

Epson EB-FH06 - 3LCD projector

portable - 3500 lumens (white) - 3500 lumens (colour) - Full HD (1920 x 1080) - 16:9 - 1080p

Group	Projectors
Manufacturer	Epson
Manufacturer item no.	V11H974040
EAN/UPC	8715946680576



Description

Epson EB-FH06 - 3LCD projector - portable - 3500 lumens (white) - 3500 lumens (colour) - Full HD (1920 x 1080) - 16:9 - 1080p

Main features

Product Description	Epson EB-FH06 - 3LCD projector - portable
Device Type	3LCD projector - 1080p
Built-in Devices	Speaker
Brightness (White)	3500 lumens
Brightness (Colour)	3500 lumens
Contrast Ratio	16000:1 (dynamic)
Resolution	Full HD (1920 x 1080)
Native Aspect Ratio	16:9
Bulb type	UHE 210 Watt
Bulb life cycle	Up to 6000 hour(s) - normal mode Up to 12000 hour(s) - economic mode
Speakers	Speaker(s) - integrated
Power	AC 120/230 V (50/60 Hz)
Power Consumption Operational	327 Watt
Dimensions (WxDxH)	30.2 cm x 25.2 cm x 9.2 cm
Weight	2.7 kg

Extended details

General

Device Type	3LCD projector - 1080p
Built-in Devices	Speaker

Projector

Brightness (White)	3500 lumens
Brightness (Colour)	3500 lumens

Brightness (Reduced)	2300 lumens
Contrast Ratio	16000:1 (dynamic)
Image Size	843 cm
Resolution	Full HD - Full HD (1920 x 1080)
Native Aspect Ratio	16:9
Display Format	2,073,600 pixels (1920 x 1080) x 3
Bulb type	UHE 210 Watt
Bulb life cycle	Up to 6000 hour(s) - normal mode Up to 12000 hour(s) - economic mode
Features	EPSON 3LCD technology, Crystal Clear Fine (C2 Fine)
	Lens
Focus Type	Manual
Zoom Type	Manual
Zoom Factor	1.2x
	Video Input
Video Interfaces	VGA, HDMI, composite video
	Speakers
Type	Integrated
Sound Output Mode	Mono
Output Power / Channel	2 Watt
Speakers	1 x mixed channel
	Expansion / Connectivity
Interfaces	1 x VGA input - 15 pin HD D-Sub (HD-15) 1 x composite video input - RCA 2 x HDMI input - 19 pin HDMI Type A 1 x USB - 4 pin USB Type B 1 x USB - 4 pin USB Type A 1 x audio line-in - RCA x 2
	Miscellaneous
Included Accessories	Remote control, battery for remote control
Cables Included	1 x VGA cable
	Power
Power Source	AC
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption Operational	327 Watt
Power Consumption Stand by	2 Watt
	Dimensions & Weight
Width	30.2 cm
Depth	25.2 cm
Height	9.2 cm
Weight	2.7 kg
	Environmental Parameters

Min Operating Temperature	5 °C
Max Operating Temperature	40 °C
Humidity Range Operating	20 - 80%
Sound Emission	37 dB
Sound Emission (Economic Mode)	28 dB

Technical data © 1WorldSync. Subject to technical modifications and errors.