

Zebra TC21 - Data collection terminal

rugged - Android 10 - 32 GB - 5" colour (1280 x 720) - rear camera + front camera - barcode reader - (2D imager) - USB host - microSD slot - Wi-Fi 5 - NFC - Bluetooth

Group	PDAs
Manufacturer	Zebra
Manufacturer item no.	TC210K-01A222-NA



Description

Step up to the business-class durable TC21 touch computer without stepping up in price. You pay only for the features your workers need to improve task accuracy and on-the-job efficiency.

Main features

Product Description	Zebra TC21 - data collection terminal - Android 10 - 32 GB - 5"
Product Type	Data collection terminal - rugged
Operating System	Android 10
Display	5" colour LED backlight - 1280 x 720 - Multi-Touch
Processor	Qualcomm Snapdragon 660 (8-core)
Processor Clock Speed	1.8 GHz
Storage	32 GB
RAM	3 GB
Supported Flash Memory Cards	microSD, microSDHC, microSDXC
Wireless Connectivity	802.11a/b/g/n/ac, NFC, Bluetooth 5.0 LE
Rear Camera	13 Megapixel
Front Camera	5 Megapixel
Navigation System	A-GPS/GPS/GLONASS/Gallileo/Beidou
Barcode Reader	Yes (2D imager)
RFID Specification	ISO 15693, Mifare, Felica, ISO 14443A, ISO 14443B
Features	USB host
Battery Run Time	Up to 10 hours
Dimensions (WxDxH)	7.9 cm x 1.37 cm x 15.8 cm
Weight	236 g

Extended details

	General
Product Type	Data collection terminal - rugged
Operating System	Android 10

	Display
Type	5" colour - LED backlight
Resolution	1280 x 720
Touchscreen	Multi-Touch
Features	Corning Gorilla glass, capacitive touch screen
	Processor
Processor	Qualcomm Snapdragon 660
Processor Clock Speed	1.8 GHz
Number of Cores	8-core
	Memory
Storage	32 GB
RAM	3 GB
Supported Flash Memory Cards	microSD, microSDHC, microSDXC
Max Supported Capacity	128 GB
	Communications
Wireless Connectivity	802.11a/b/g/n/ac, NFC, Bluetooth 5.0 LE
Security Protocols & Features	LEAP, WEP, WPA, WPA2, TKIP, AES, EAP-TTLS, EAP-TLS, WPA2-Enterprise, PAP, PEAPv0, PEAPv1, EAP-GTC, EAP-MSCHAPv2, EAP-MSCHAP, EAP-PWD, WPA-Enterprise
	Rear Camera
Sensor Resolution	13 Megapixel
	Front Camera
Sensor Resolution	5 Megapixel
	Navigation System
Receiver	A-GPS/GPS/GLONASS/Gallileo/Beidou
	Multimedia
Audio	Two microphones, speaker
	Input Device
Type	Touch-screen
	Barcodes
Barcode Reader	Yes
Scan Element Type	2D imager
	RFID
RFID Specification	ISO 15693, Mifare, Felica, ISO 14443A, ISO 14443B
	Software
Preloaded Software	Google Mobile Services
	Expansion and Connectivity
Expansion Slots	1 x microSDXC
Interfaces	USB-C/USB 2.0
USB Host	Yes

	Battery
Technology	Lithium Ion
Capacity	3300 mAh
Run Time	Up to 10 hours
Recharge Time	4 hour(s)
	Miscellaneous
Sensors	Ambient light sensor, proximity sensor, 3-axis accelerometer
Features	Interactive Sensor Technology (IST), LED indicator, SecureBoot, MU-MIMO technology, SE4710 imager
Vibrating Alert	Yes
Compliant Standards	MIL-STD 810G, IP67, RoHS 2011/65/EU, GMS, REACH 2006/1907, Directive 2015/863
	Dimensions & Weight
Width	7.9 cm
Depth	1.37 cm
Height	15.8 cm
Weight	236 g
	Manufacturer Warranty
Service & Support	Limited warranty - 1 year
	Environmental Parameters
Min Operating Temperature	-10 °C
Max Operating Temperature	50 °C
Humidity Range Operating	5 - 95% (non-condensing)
Min Storage Temperature	-30 °C
Max Storage Temperature	70 °C

Technical data © 1WorldSync. Subject to technical modifications and errors.