

# ViewSonic ViewBoard IFP8652-1A

86" Diagonal Class (85.5" viewable) - IFP52 Series LED-backlit LCD display - interactive - 4K UHD (2160p) 3840 x 2160

Group	Flat Screens
Manufacturer	ViewSonic
Manufacturer item no.	IFP8652-1A
EAN/UPC	0766907009330



## Description

ViewSonic ViewBoard IFP8652-1A - 86" Diagonal Class (85.5" viewable) - IFP52 Series LED-backlit LCD display - interactive - 4K UHD (2160p) 3840 x 2160

## Main features

Product Description	ViewSonic ViewBoard IFP8652-1A IFP52 Series - 86" Class (85.5" viewable) LED-backlit LCD display - 4K - for interactive communication
Product Type	LED-backlit LCD flat panel display
Diagonal Class	86"
Diagonal Size	85.5"
Commercial Use	Yes - interactive
Resolution	3840 x 2160
Display Format	4K UHD (2160p)
Frame Rate & Enhancement Technology	75 Hz Refresh Rate
Video Interface	HDMI
HDMI Ports Qty	3 ports
Connectivity	LAN
PC Interface	VGA (HD-15), DisplayPort, USB-C
LCD Backlight Technology	LED backlight
Image Aspect Ratio	16:9
TV Tuner	No tuner
Speaker System	2 speakers, subwoofer
USB	Yes
Included Accessories	Remote control
Voltage	AC 120/230 V (50/60 Hz)
Power Consumption Operational	332 Watt
Power Consumption Stand by	0.5 Watt
Dimensions (WxDxH)	196.64 cm x 11.84 cm x 120.44 cm

Weight 71 kg

## Extended details

### General

Product Type	LED-backlit LCD flat panel display
Power Consumption Operational	332 Watt
Diagonal Class	86"
Diagonal Size	85.5"
Commercial Use	Yes - interactive
Series	IFP52 Series
TV Tuner	No tuner
TV Tuner Presence	No
Video Interface	HDMI
HDMI Ports Qty	3 ports
PC Interface	VGA (HD-15), DisplayPort, USB-C
Width	196.64 cm
Depth	11.84 cm
Height	120.44 cm
Weight	71 kg

### Display

Resolution	3840 x 2160
Display Format	4K UHD (2160p)
Image Aspect Ratio	16:9
Frame Rate & Enhancement Technology	75 Hz Refresh Rate
LCD Backlight Technology	LED backlight

### Media Player

USB Port	Yes
----------	-----

### Remote Control

Type	Remote control
------	----------------

### Audio System

Speaker System	2 speakers, subwoofer
Output Power / Total	30 Watt
Speakers	2 x main channel speaker - 15 Watt ; 1 x subwoofer - 15 Watt

### Network & Internet Multimedia

Connectivity	LAN
--------------	-----

### Connections

Connector Type	3 x HDMI input ; VGA input ; DisplayPort input ; USB ; Audio input ; LAN ; 4 x USB 3.0 ; USB 2.0 ; HDMI output ; Headphones ; SPDIF output ; 2 x USB 2.0 ; RS-232
----------------	---

**Power**

Power Device	Power supply
Input Voltage	AC 120/230 V (50/60 Hz)
Power Consumption Stand by	0.5 Watt

**Environmental Parameters**

Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	20 - 80% (non-condensing)

Technical data © 1WorldSync. Subject to technical modifications and errors.