


APC Back-UPS Pro 900 - UPS - AC 230 V

540 Watt - 900 VA - USB - output connectors: 5

Group	Power Supply
Manufacturer	APC
Manufacturer item no.	BR900G-GR
EAN/UPC	0731304286912



Description

The Back-UPS Pro provides abundant battery backup power, so you can work through medium and extended length power outages. It safeguards your equipment against damaging surges and spikes that travel along utility and data lines. And it features automatic voltage regulation (AVR), which instantly adjusts high and low voltages to safe levels, so you can work indefinitely during brownouts and overvoltages.

The Back-UPS Pro also includes unique "green" features, like power-saving outlets that automatically turn off idle peripherals. A high efficiency charging system and "AVR Bypass" also reduce power consumption. With the rest of the Back-UPS Pro's standard features, this is the perfect unit to protect your productivity from the constant threat of bad power and lost data.

Main features

Product Description	APC Back-UPS Pro 900 - UPS - 540 Watt - 900 VA
Device Type	UPS - external
Weight	10.7 kg
Input Voltage	AC 230 V
Output Voltage	AC 230 V
Power Capacity	540 Watt / 900 VA
Input Connectors	Power CEE 7/7
Output connectors	3 x power CEE 7/7 (UPS and surge) ; 2 x power CEE 7/7 (surge)
Battery	Lead Acid
Batteries Qty	1
Run Time (Up To)	9 min at full load
Networking	USB
Dimensions (WxDxH)	10 cm x 38.2 cm x 25 cm

Extended details

	General
Device Type	UPS - external
	Power Device
Input Voltage	AC 230 V
Frequency Provided	50/60 Hz
Frequency Required	50/60 Hz

Power Output Connectors Details	3 x power CEE 7/7 (UPS and surge) 2 x power CEE 7/7 (surge)
Output Voltage	AC 230 V 50/60 Hz
Power Capacity	540 Watt / 900 VA
Dataline Surge Protection	Phone line - RJ-11 Ethernet 10/100/1000Base-T - RJ-45
Surge Suppression	Yes
Surge Energy Rating	600 Joules
Battery	
Quantity	1
Technology	Lead Acid
Run Time (Up To)	9 min at full load
Recharge Time	8 hours
Networking	
Remote Management Interface	USB
Expansion / Connectivity	
Interfaces	1 x management (USB)
Miscellaneous	
Cables Included	Power cable - integrated - 1.8 m USB cable
Features	Audible alarm, LCD display
Compliant Standards	GOST, NEMKO, UL 1363, RoHS, REACH
Software / System Requirements	
Software Included	APC PowerChute Personal Edition
Manufacturer Warranty	
Service & Support	Limited warranty - replace or repair - 2 years European Union: limited warranty - replace or repair - 3 years
Environmental Parameters	
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	0 - 95%
Sound Emission	45 dBA
Dimensions & Weight	
Width	10 cm
Depth	38.2 cm
Height	25 cm
Weight	10.7 kg
Dimensions & Weight (Shipping)	
Shipping Width	22.5 cm
Shipping Depth	33.7 cm
Shipping Height	48.7 cm
Shipping Weight	12.4 kg

Technical data © 1WorldSync. Subject to technical modifications and errors.