

# Dell 34 Gaming Monitor S3422DWG

LED monitor - gaming - curved - 34" - 3440 x 1440 WQHD @ 144 Hz  
 - VA - 400 cd/m<sup>2</sup> - 3000:1 - DisplayHDR 400 - 1 ms - 2xHDMI -  
 DisplayPort - with 3 years Advanced Exchange Service

Group	Flat Screens
Manufacturer	Dell
Manufacturer item no.	DELL-S3422DWG
EAN/UPC	5397184504963



## Description

Get lost in the journey. The 34" curved WQHD monitor with VESA Display HDR 400 and a 144Hz refresh rate provides a truly immersive gaming experience.

## Main features

Product Description	Dell 34 Gaming Monitor S3422DWG - LED monitor - curved - 34" - HDR
Device Type	LED-backlit LCD monitor - 34"
Energy Class	Class F
Power Consumption (On mode)	29.9 W
Curved Screen	Yes
Adaptive-Sync Technology	AMD FreeSync Premium Pro
Features	USB 3.2 Gen 1 hub
Panel Type	VA
Aspect Ratio	21:9
Native Resolution	WQHD 3440 x 1440 (DisplayPort: 144 Hz, HDMI: 100 Hz)
Pixel Pitch	0.23175 mm
Brightness	400 cd/m <sup>2</sup>
Contrast Ratio	3000:1 / 3000:1 (dynamic)
HDR Capable	DisplayHDR 400
Response Time	2 ms (gray-to-gray), 1 ms (MPRT)
Gaming	Yes
Colour Support	16.7 million colours
Colour Gamut	99% sRGB, 90% DCI-P3
Input Connectors	2xHDMI, DisplayPort
Display Position Adjustments	Height, tilt
Screen Coating	Anti-glare 3H hardness
Voltage	AC 100-240 V (50/60 Hz)

Dimensions (WxDxH) - with stand	80.79 cm x 23.41 cm x 42.73 cm
Compliant Standards	RoHS, BFR-free, DisplayPort 1.4, PVC-free
Bundled Services	3 years Advanced Exchange Service

## Extended details

General	
Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class F
Energy Class (HDR)	Class G
Diagonal Size	34"
Curved Screen	Yes (1800R)
Adaptive-Sync Technology	AMD FreeSync Premium Pro
Built-in Devices	USB 3.2 Gen 1 hub
Panel Type	VA
Aspect Ratio	21:9
Native Resolution	WQHD 3440 x 1440 (DisplayPort: 144 Hz, HDMI: 100 Hz)
Pixel Pitch	0.23175 mm
Pixel Per Inch	109
Brightness	400 cd/m <sup>2</sup>
Contrast Ratio	3000:1 / 3000:1 (dynamic)
HDR Certification	DisplayHDR 400
Colour Support	16.7 million colours
Colour Gamut	99% sRGB, 90% DCI-P3
Response Time	2 ms (gray-to-gray), 1 ms (MPRT)
Gaming	Yes
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare 3H hardness
Backlight Technology	LED backlight
Features	Mercury free, arsenic-free glass, 3-sided bezelless, 99% sRGB colour gamut
Dimensions (WxDxH)	80.79 cm x 23.41 cm x 42.73 cm - with stand
Connectivity	
Interfaces	2 x HDMI   DisplayPort 1.4   USB 3.2 Gen 1 upstream   3 x USB 3.2 Gen 1 downstream   USB 3.2 Gen 1 downstream with Battery Charging 1.2   Audio line-out
Mechanical	
Display Position Adjustments	Height, tilt
Tilt Angle	-5/+21
Height Adjustment	100 mm
VESA Mounting Interface	100 x 100 mm

**Miscellaneous**

Features	Security lock slot (cable lock sold separately), VESA interface support
Cables Included	1 x HDMI cable   1 x DisplayPort 1.4 cable - DisplayPort to DisplayPort
Compliant Standards	RoHS, BFR-free, DisplayPort 1.4, PVC-free
Security Slot Type	Kensington security slot

**Power**

Input Voltage	AC 100-240 V (50/60 Hz)
Power Consumption (On mode)	29.9 W
Power Consumption SDR (On mode)	29.9 kWh/1000h
Power Consumption HDR (On mode)	70.6 kWh/1000h
Power Consumption (Max)	90 Watt
Power Consumption Stand by	0.3 Watt
Power Consumption (Off Mode)	0.2 Watt
On / Off Switch	Yes

**Dimensions & Weight**

Dimensions & Weight Details	With stand - width: 80.79 cm - depth: 23.41 cm - height: 42.73 cm   Without stand - width: 80.79 cm - depth: 8.58 cm - height: 36.63 cm - weight: 7.7 kg
-----------------------------	--

**Dimensions & Weight (Shipping)**

Shipping Weight	14.95 kg
-----------------	----------

**Manufacturer Warranty**

Bundled Services	3 years Advanced Exchange Service
------------------	-----------------------------------

**Environmental Parameters**

Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 80% (non-condensing)

Technical data © 1WorldSync. Subject to technical modifications and errors.