

Dell 24 Gaming Monitor G2422HS

LED monitor - gaming - 23.8" - 1920 x 1080 Full HD (1080p) @ 165 Hz - IPS - 350 cd/m² - 1000:1 - 1 ms - 2xHDMI - DisplayPort - with 3-Year Advanced Exchange Service and Premium Panel Exchange

Group	Flat Screens
Manufacturer	Dell
Manufacturer item no.	DELL-G2422HS
EAN/UPC	5397184567791



Description

Less lag. More wins. Take the next step in gaming. Add a 23.8" monitor to your set up and level up your gameplay with fluid, tear-free graphics on a super responsive screen.

Main features

Product Description	Dell 24 Gaming Monitor G2422HS - LED monitor - Full HD (1080p) - 23.8"
Device Type	LED-backlit LCD monitor - 23.8"
Energy Class	Class D
Power Consumption (On mode)	14.6 W
Adaptive-Sync Technology	NVIDIA G-SYNC Compatible, AMD FreeSync Premium
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 165 Hz
Pixel Pitch	0.2745 mm
Brightness	350 cd/m ²
Contrast Ratio	1000:1 / 1000:1 (dynamic)
Response Time	1 ms (grey-to-grey)
Gaming	Yes
Colour Support	16.7 million colours
Colour Gamut	99% sRGB
Input Connectors	2xHDMI, DisplayPort
Display Position Adjustments	Height, tilt
Screen Coating	Anti-glare 3H hardness
Voltage	AC 100-240 V (50/60 Hz)
Dimensions (WxDxH) - with stand (lowest position)	53.78 cm x 18.944 cm x 35.163 cm
Bundled Services	3-Year Advanced Exchange Service and Premium Panel Exchange

Extended details



	General
Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class D
Diagonal Size	23.8"
Adaptive-Sync Technology	NVIDIA G-SYNC Compatible, AMD FreeSync Premium
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 165 Hz
Pixel Pitch	0.2745 mm
Pixel Per Inch	93
Brightness	350 cd/m ²
Contrast Ratio	1000:1 / 1000:1 (dynamic)
Colour Support	16.7 million colours
Colour Gamut	99% sRGB
Response Time	1 ms (grey-to-grey)
Gaming	Yes
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare 3H hardness
Backlight Technology	LED backlight
Features	LED edgelight system
Dimensions (WxDxH)	53.78 cm x 18.944 cm x 35.163 cm - with stand (lowest position)
	Connectivity
Interfaces	2 x HDMI ¦ DisplayPort 1.2 ¦ Audio line-out
	Mechanical
Display Position Adjustments	Height, tilt
Tilt Angle	-5/+21
Height Adjustment	100 mm
VESA Mounting Interface	100 x 100 mm
	Miscellaneous
Features	Security lock slot (cable lock sold separately), VESA interface support
Cables Included	1 x DisplayPort cable - DisplayPort to DisplayPort ¦ 1 x HDMI cable
	Power
Input Voltage	AC 100-240 V (50/60 Hz)
Power Consumption (On mode)	14.6 W
Power Consumption SDR (On mode)	14.6 kWh/1000h
Power Consumption (Typical)	40 Watt
Power Consumption Stand by	0.2 Watt



Power Consumption (Off Mode)	0.2 Watt
On / Off Switch	Yes
	Dimensions & Weight
Dimensions & Weight Details	With stand (highest position) - width: 53.78 cm - depth: 18.944 cm - height: 45.163 cm ¦ Without stand - width: 53.78 cm - depth: 6.559 cm - height: 32.163 cm - weight: 3.5 kg
	Dimensions & Weight (Shipping)
Shipping Weight	7.55 kg
	Manufacturer Warranty
Bundled Services	3-Year Advanced Exchange Service and Premium Panel Exchange
	Environmental Parameters
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 80% (non-condensing)

Technical data © 1WorldSync. Subject to technical modifications and errors.